

■フロンサイドSCの混用事例－1－

(2018年7月作成)

項目	作物名 農薬名	み	り	な	も	ぶ	キ	か	う	び	ば										
		か	ん	し	も	う	ウ	き	め	わ	茶	れ									
		ん	ご	し	も	う	イ	き	め	わ	い	し	よ								
	アークリン(水)				●			●													
	アーデント(水)		●	●				●			●										
	アクタラ(SG)							●			●										
	アクテリック(乳)										●										
	アグリメック										●										
	アグロスリン(乳)	●*					●														
	アグロスリン(水)		●	●	●			●	●		●										
	アタブロン(乳)										●										
	アタブロンSC		●		●			●													
	アディオン(乳)	●*		●	▲		●	●			●										
	アディオン(水)		●						●												
	アドマイヤー(水)			●				●			●										
	アドマイヤー(FL)	●*																			
	アドマイヤー(WG)	●*						●													
	アフーム(乳)										●										
	アプロード(水)	●*		●	●			●			●										
	アプロード(FL)		●		●						●										
殺	アプロードエース(FL)	●																			
	アルバリン(SG)										●										
	ウーララ(DF)		●	●	●						●										
	エクシレル(SE)		●	●							●										
	エビセクト(水)							●			●										
虫	エルサン(乳)	●																			
	エルサン40(水)		●	●																	
	エンセダン(乳)										●										
	オーシャイン(水)	●																			
	オマイト(水)				●																
剤	オリオン40(水)	△	△	△				△													
	オルトラン(水)							●			●										
	カスケード(乳)		●					●			●										
	カーラ(FL)		●	●							●										
	カネマイト(FL)										●										
	カルホス(乳)	●									●										
	キラップ(FL)	●						●			●										
	キラップJ(水)										●										
	キラップリアード(FL)										●										
	コテツ(FL)	●*	●	●	●			●			●										
	コルト(WG)	●	●	●	●			●			●										
	コロマイト(乳)			×																	
	コロマイト(水)			●																	
	サイアノックス(水)		●	●	●																
	サイハロン(水)	●	●	●	●						●										
	サブリーナ(FL)										●										
	サムコル10(FL)		●	●							●										
	サンマイト(水)	●*	●	●	●																

* : 精製マシン油との混用は、萌芽期から落弁期までとする。

●* : かんきつも対象とする。

■フロンサイドSCの混用事例－3－

(2018年7月作成)

項目	作物名 農薬名	み	り	な	も	ぶ	キ	か	う	び	ば											
		か	ん	し	も	う	ウ	き	め	わ	茶	れ										
		ん	ご	し	も	う	フル	ツ	き	め	わ	い	し	よ								
殺	ハチハチ(FL)	●*		●	●							●										
	パノコン(乳)	●																				
	バリアード(WG)		●	●					●			●										
	バリュースター(FL)	●																				
	パロック(FL)	●*	●	●	●							●										
	ピラニカ(水)		●	●																		
	ピラニカ(EW)				●								●									
	ビルク(水)	●*	●	●									●									
	ファルコン(FL)												●									
	フェニックス(FL)		●	●	●	●			●	●		●										
	フェニックス(WG)		●	●		●	●		●			●										
	ベストガード(溶)	●*	●									●										
	マイトクリーン		●	●																		
	マイトコーネ(FL)	●*		●									●									
	マツチ(乳)												●									
	マトリック(FL)			●									●									
	マブリック20(水)	●*	●	●	●			●	●	●		●										
	マブリック(EW)	●*							●	●												
	マラソン(乳)				▲					▲	▲											
	マイクロデナポン85(水)	●	●	●																		*
ミルベノック(乳)												●										
モスピラン(SG)	●*	●	●	●				●	●		●											
モスピランSL(液)	●*										●	●										
ランネット45(DF)												●										
リーズン(WG)		●										●										
ルビトックス(乳)												●										
ロディー(乳)	●*			●								●										
ロディー(水)		●	●					●														
ロムダン(FL)		●	●									●										
MR. ジョーカー(水)	●*	●	●					●			●											

* : 精製マシン油との混用は、萌芽期から落弁期までとする。

●* : かんきつも対象とする。

* : [日本なし]のみの登録薬剤

